

UST LINES
UST CASCADE

LST LINES

BRAKE SET

BK-TOG

CORD, 1500LB, SPECTRA, NAT,
STRETCHED, UNTREATED, SPECTRA 1000

CORD, 1575LB, POLYESTER, NAT,
HEAT SET, STRETCHED, SYNTHETIC FINISH


LINE LENGTHS FOR EQUIPMENT INSPECTION

A LINE	180 1/2"	± 1"	A TO B	4 3/4"	± 1/2"
BRAKE TO TOGGLE	29 1/8"	± 1/2"	A TO C	17 1/4"	± 1/2"
SEAM TO SEAM TOP SKIN #1	47 1/8" TO 48 1/8"		A TO D	30 7/8"	± 1/2"
B1 TO C1	35" TO 36 3/8"		A TO UST	17 1/2"	± 1/2"



TR 375 Planform
Top Drawing

Date	19 July 2004	By	R. D. R.
Document No.#	TDWG-003	Rev.	0
Sheet	1 of 4		



 Performance Designs 1300 E. International Speedway Blvd. DeLand, Florida 32724	TR 375 Flying Front	Date	19 July 2004	By	R. D. R.
	Top Drawing	Document No.#	TDWG-003	Rev.	0
				Sheet	2 of 4

